

## MARKING OF THE PRODUCT

08.04.2019

### 1. DOORS / OPENABLE WINDOWS

**NOTE: Text in italic will apply for CPR certificate.**

Every product must have fixed and readable marking consisting of at least following data:

- Manufacturer name *and address*;
- product type and/or name;
- serial number or unique identification code of the product (includes reference to the number of year);
- performance (resistance to fire and/or smoke control and/or self closing class)\*;
- *reference to the standard product complies*;
- number of certificate;
- *CE marking, consisting of „CE“-symbol and identification number of the product certification body*;
- certification brand/logo or text „Kiwa certified“ settled on the upper part of marking.

**\* Manufacturer may declare performance(s) only for complete finished product.**

Dimensions of marking (W x H, mm): 25-40 x 55-70.

Marking must be on the frame and on the edge of leaf.

*The manufacturer draws up the declaration of performance as set out in Regulation (EU) No 305/2011 of the European Parliament and of the Council. The declaration of performance shall be according to ZA.2.2 in standard EN 16034:2014 and/or EN 14351-1:2006+A2:2016.*

*CE marking according to ZA.3 in standard EN 16034:2014 and/or EN 14351-1:2006+A2:2016 is given with product documentation (example on the Figure ZA.2).*


Version 1. Certification brand/logo

1.1 Fire resistant external door

1.2 Fire resistant door

1.3 Door on escape route

1.4 Openable window



Inspecta Estonia OÜ

1336-CPR-0001

EN 16034:2014

**AS ABC**

Street 8

12345 Tallinn

type P50


ID No 25877-18

**EI<sub>2</sub>30**


**S<sub>a</sub> / S<sub>200</sub>**

**C5**

SAMPLE



1336



Inspecta Estonia OÜ

ET-0001-18

SAMPLE

**AS ABC**

fire door


type P50

ID No 25877-18

**EI<sub>2</sub>30**

**S<sub>a</sub> / S<sub>200</sub>**

**C5**



Inspecta Estonia OÜ

1336-CPR-0001

EN 14351-1:2006 +

**A2:2016**

SAMPLE


**AS ABC**

Street 8


12345 Tallinn

type P50

ID No 25877-18



1336



Inspecta Estonia OÜ

1336-CPR-0001

EN 16034:2014

**AS ABC**

Street 8


12345 Tallinn

type P50

ID No 25877-18

**EI<sub>2</sub>30**


SAMPLE




1336

Version 2. text „Kiwa certified“


### 1.1 Fire resistant external door




### 1.2 Fire resistant door



### 1.3 Door on escape route



### 1.4 Openable window



## 2. WALL / FIXED WINDOWS

Every product must have fixed and readable marking consisting of at least following data:



- manufacturer (address, if relevant);
- product type and/or name;
- serial number or unique identification code of the product (includes reference to the number of year);
- performance (resistance to fire class)\*;
- number of certificate;
- certification brand/logo or text „Kiwa certified“ settled on the upper part of marking.

\* **Manufacturer may declare performance(s) only for complete finished product.**

Dimensions of marking (W x H, mm): 25-40 x 55-70.

Marking must be on the frame.

**Version 1.** Certification brand/logo



**Version 2.** text „Kiwa certified“

